





Pergola with retractable PVC roof






SEALING DETAILS

A special rubber seal that is attached to the rail profile, preventing against rainwater entering the product.



6 WHEELED CAR

This innovative 6 wheeled car silently, swiftly and in a well balanced manner carries the canvas up and down the rail.




HIDDEN WATER DRAINAGE

All rainwater is collected by the gutter and guided out by a drainpipe hidden within the front pillar.




3-LAYERED CEILING COVER

The ceiling cover is a 3-layered blackout PVC membrane that blocks 100% of all UV rays.




LOCOMOTIVE PROFILE

The locomotive fabric profile is strengthened by its inner reinforcements.



GLASS SYSTEMS

Different enclosing solution can be applied directly to the profiles.



ROOFING

The roofing system protects the fabric in closed position




SIDE BEAM

A side beam can be easily installed or removed by the integrated assembly system.




LED SPOT LIGHTING

Control our LED spot lights directly from the remote control or dimmer system.




STRENGTHENED RAIL PROFILE

The rail profile is strengthened from the inside with its special engineered form of construction.




METAL FOOT

The metal foot with its hidden installation details, discharges water coming from the pillar.



RAIN & WIND TIGHT

The product is sealed against rain & wind from every side and direction.





- 1 BACK PILLAR PROFILE
- 2 FRONT PILLAR PROFILE
- 3 RAIL PROFILE
- 4 CHAIN
- 5 FRONT BEAM (GUTTER PROFILE)
- 6 FABRIC
- 7 FABRIC ROOF PROFILE
- 8 FABRIC ROOF
- 9 BACK BEAM PROFILE
- 10 MOTOR

	LC 1200	LC 1600
A	6000 mm	10000 mm
B	13000 mm	13000 mm
C	4500 mm	4500 mm


A - Maximum projection
B - Maximum width
C - Maximum distance between two pillars

Technical informations and Maximum measures


	LC 1200	LC 1600
A	75 mm	110 mm
B	120 mm	160 mm
C	130 mm	150 mm
D	120 mm	160 mm
E	65 mm	100 mm
F	120 mm	160 mm




Pergola LC 1200



Pergola LC 1600




DOUBLE FABRIC PROFILE




MONO FABRIC PROFILE







Inclined - wall mounted



Inclined - hanging



Inclined - self standing




Rounded


Application forms

Pergola with retractable PVC roof

Sliding glass system with aluminium frame



Sliding glass system without aluminium frame



Motor system

World leaders Somfy Motor and Automation Systems are used for the motor driven pergola systems. Our motors are guaranteed for 5 years and are the most silent motors in the world.



Accessories



LED LIGHT

We can integrate triple lens LED lights in to the fabric profile, which are controlled and also dimmable with the same remote control like the pergola.



HEATERS


We can offer infra heaters to enjoy the outdoor living also in colder weather. These heaters can be controlled by Smartphone.



The profiles and components of the pergola are powder coated, in the following chart can be seen the standard RAL colours of the structure, the surface is structural. Non-standard RAL colours +10%



RAL 9016



RAL 1013




RAL 9007



RAL 9005




RAL 7016



RAL 8014




The Polyplan Pergola Opaque is a special 3 layered blackout PVC fabric. The weight is 760 g/m² and the maximum tensile strength is 2500N/50mm. This fabric doesn't let the sunlight in and it is 100% waterproof.




The Soltis W96 fabric is a special fabric, because it has transparent textured aspect and besides this it is waterproof. The big feature of this fabric that its allowing natural light to pass without glare.

Polyplan Pergola Opaque



WHITE




BEIGE



GREY


Soltis W96



WHITE



BEIGE



GREY



ANTHRACITE



Dimensional stability



UV - Resistant



5 Years Guarantee



Thermal comfort



No Pocket or Bubbles



Flame Resistant



Tear Resistant

Fabric colour



IHP EUROPE s.r.o.

Kostolianska cesta 67, 04001 Košice
+421 (55) 633 79 36, info@ihpeurope.sk
www.ihpeurope.sk

IČO: 48 066 460, IČ DPH: SK2120004601
OR OS KE 1, Oddiel Sro, Vložka číslo: 36952/V
Bank account: SK6609000000005068245517